


eurolac | The strong brand for products with genuine wood.



eurolac
Noblewood Material
the best you can make from wood



1st Quality
Quality
Top Industry Quality
and Workmanship

The result of appreciation, know-how and design.
> **Competence & passion in wood. eurolac**

> wood materials

[The best you can make from wood.]

We produce high-quality board materials with genuine wood veneers for the furniture and interior design industries.

The best quality with short delivery times, an extensive product range and the outstanding after-sales service make us a dependable partner for a successful future. These are the points on which our customers rely. Genuine wood veneers are our passion.

> Flexible, fast and innovative

Exceptional flexibility, proximity to the customer and ongoing investments in research and development form our basis.

We offer the customer classic standard boards as well as cut-to-size panels and furniture components for use in the furniture industry, in interior design, shopfitting and trade fair stand building and for window and façade production. The processing depth goes right through to surface finishing. We produce an almost infinite number of "specialities".

> Innovation and creativity

We at eurolac regularly transform our innumerable ideas into successful new products for trade and industry.



GREEN BLADE®

BIRKODECK®







BLACK SCRATCH
Historic Oak

Knotty Oak
rough rough cut

Historic oak


Oak
sandblasted

Beam oak
natural



The current trend is towards rustic surfaces.

In the RUSTICA Series, we combine selected veneers with a solid wood look and underline the naturalness of the wood material. Veneers with saw-cut look are available, just like the rustic Historic Oak and Spruce veneers, on every coreboard to meet customers' wishes.



> **BIRKOPLEX®**
The original



> **FIREPLAC®**
Decorative fire retardant boards




eurolac is PEFC and FSC-certified, and as an environmentally aware company supports the sustainable, caring and responsible management of forests all over the world.

> Veneers

American Maple AHZ1	European Sycamore AHE1	Steamed Acacia AKZ1	Anegre ANG1	Birch Sliced veneer BIM1	Eccentric Birch Peeled BIS1	Pear BIR1	BIRKODECK® NEW BID3
Steamed Beech BUC1	Unsteamed Beech BUU1	Bubinga BUB1	Carolina PIR1	Douglas Oregon DUG2	NEW Historic Oak natural EAH3	American Oak EIW1	Knotty Oak EKA1
NEW Knotty Oak rough cut SAF1	European Oak EEU1	Oak rough cut ESF1	Finnish White Birch BIE1	European Alder ERL1	Ash ESC1	Brown Ash ESK1	Spruce FIC2
Antique Spruce FAL4	Knotty Spruce FIA2	NEW Historic Spruce FAN4	Hemlock HEM2	Chestnut KAS1	Beech Core BUK1	Pine KIE2	Knotty Pine KIA2

in over 60 different wood species in stock and a further 40 different species in our suppliers' stores



Legend	
	in stock
	in stock E1 plus/CARP P2
	in stock B1
	in stock P3
	STAE
	Pale glue joint
	HDF face veneer
	in standard thicknesses and sizes on request

Special coreboards on demand: Lightweight construction such as EUROLIGHT, light chip, MDF-Light, composite materials or poplar chipboard.

Other coreboards/ sizes/thicknesses on request.

Technical modifications as well as changes or deviations in sizes, thicknesses and certifications reserved.

Thickness in mm	3	4	6	8	10	12	13	15	16	17	18	19	20	21	22	24	25	28	32	38	39	40	49	50	
Chipboard																									
2500 x 1250				FSC				FSC			PEFC				FSC		FSC	FSC							
2800 x 2060	FSC			FSC	FSC	FSC		FSC	FSC		FSC E0,5	FSC			FSC	FSC	FSC	FSC	FSC	FSC				leicht	
2800 x 2060												P3/PEFC													
2800 x 2060									B1			B1					B1								
2600 x 2050																								leicht	
3050 x 1250								B1																	
3050 x 1250								FSC			PEFC						FSC	FSC		FSC					
3100 x 2060								FSC			FSC														
3600 x 2060									FSC		FSC														
4000 x 2060				FSC																					
4100 x 2060									FSC									FSC		FSC					
4200 x 2060																								leicht	
Blockboard																									
2100 x 900																									
2500 x 1250																									
2500 x 1250											Poppel/FSC														
2800 x 2060												Poppel/FSC													
2800 x 2060									STAE		STAE														
2800 x 2060											HDF									HDF					
3120 x 2060																									
3600 x 2060																									
MDF boards																									
2440 x 1220	FSC	FSC	FSC	FSC				FSC			FSC							FSC		FSC			FSC		
2440 x 1220												V100/PEFC													
2800 x 2060	FSC	FSC		FSC	FSC	PEFC		FSC			FSC				FSC		FSC	FSC		FSC					
2800 x 2060												V313/PEFC													
2800 x 2060									B1/PEFC			B1													
3050 x 1220								B1/PEFC				B1/PEFC					FSC	FSC		FSC					
3050 x 1220				FSC		FSC			FSC		FSC														
3050 x 1220									V100/PEFC		V100/PEFC														
3600 x 2060																									
4100 x 2060																									

Thickness in mm	3	4	5	6	7	9	11	12	14	15	18	19	20	21	24	25	27	30	40
PAPPEL P-PLEX®																			
2500 x 1250																			
3050 x 1250																			
2520 x 1840																			
2520 x 1840											D4				D4				
OKUME G-PLEX® The boards for use in damp rooms.																			
2500 x 1220						D4					D4								
BIRKE BIRKOPLEX® The original, always perfectly sized! BIRKOPLEX®STARK Stark for post-and-beam constructions up to 4000 mm in length and 100 mm thick.																			
2500 x 1250				FSC		FSC		FSC		FSC	FSC		FSC	FSC		FSC	FSC	FSC	
2500 x 1250				helle Fuge		helle Fuge				helle Fuge	helle Fuge				helle Fuge				
3000 x 1500					FSC		FSC		FSC	FSC			FSC	FSC		FSC	FSC	FSC	
3600 x 1250																			
4000 x 1250																			
BUCHE B-PLEX® (Beech B1 available in all thicknesses to order) Cut-to-size boards on request.																			
2500 x 1250										PEFC									
2500 x 1250												B1							
2500 x 1500																			
SPA PLEX® The emission-free board for use in the sauna, tested at high temperatures.																			
2500 x 1250																			

Thickness in mm	8	10	12	15	16	18	19	22	25
FIREPLAC® Fire retardant boards A to DIN 4102.*									
2500 x 1250					850		850		
2500 x 1250									
2500 x 1250									
2800 x 1250			850		850		850		850
2800 x 1250					950		950		
2800 x 1250					750		750		
3050 x 1250					850		850	850	850
3050 x 1250							950		
3050 x 1250					750		750		

* In combination, non-flammable with genuine wood veneered or CPL-coated surface in 16 - 25 mm. If interested, please send for our FIREPLAC® brochure with all the important information!


Thickness in mm	8	10	12	15	16	18	19	22	25
Gypsum fibreboard A2									
3030 x 1270									
2600 x 1270									

Special coreboards: Airmaxx, EUROLIGHT, PU boards, flat chip, Chip P3, MDF V313, VARIOSPAN (one side veneered, one side melamine resin-coated), Blockboard with MDF or chipboard face veneer, lightweight construction boards, MDF black, poplar and Gabon multi-ply boards, etc. on request.

Also available are various acoustic boards (perforated and slotted surfaces) incl. black acoustic fleece, partly also in combination with A2 non-flammable, tested to DIN 4102.



europac is PEFC and FSC-certified, and as an environmentally aware company supports the sustainable, caring and responsible management of forests all over the world.



Lifestyle in wood.

> Cut-to-size panels and furniture components

[Genuine wood in top quality for commerce, trade and industry]

In order to remain competitive in the future, we support you as a reliable supplier.

Apart from the classic "standard boards", we at **europiac** produce cut-to-size panels and furniture components to meet the customer's wishes.

More than 60 different wood species on all common coreboards are available.

We can supply you with cut-to-size panels to meet all your needs
> rough > with edges > painted > bored > right through to ready-to-assemble furniture components.



[Unique organisation]

As the whole production takes place in our works, we achieve maximum quality with the best price/performance ratio – and most important a reliable delivery time.


We take care of your order right from the beginning – starting with the personal purchasing of the veneer. In this way we can guarantee you an optimum result.

From the master carpenter in Sales to the veneer expert in Purchasing, your partner for > Furniture making > Interior design > Hotel outfitting > Trade fair stand construction > Shopfitting > Objects > is **europiac**.

We're ready for the future, ready for you!



europiac is PEFC and FSC-certified, and as an environmentally aware company supports the sustainable, caring and responsible management of forests all over the world.



Coreboards

Chipboard:	E1, E1 plus, CARB-P2, P3, B1
Blockboard:	Stick, chip, chip blockboard
Plywood:	Poplar
MDF:	B2, B1, MDF black
Fire retardant boards:	A1/A2
Multi-ply boards:	Birch, beech, redwood, poplar, B1/B2



Veneers

We have one of the largest veneer warehouses in Europe! From A for American Maple through to Z for Zebrawood, we can supply you with any desired wood species at short notice. We cut veneers to meet your needs and will be happy to supply FSC and PEFC-certified veneers.


Hardwood veneers:	0.6 mm thick / thicker on request e.g. 0.9 mm / 1.5 mm / 2.5 mm
Softwood veneers:	0.9 mm thick / thicker on request e.g. 1.5 mm / 2.5 mm
Veneer lengths:	up to 4200 mm possible
Saw-cut veneers:	up to 5 mm thick




Board sizes and thicknesses

We veneer practically any size to meet your needs. We produce rough cut-to-size or finished cut-to-size boards as required. All standard board thicknesses are available.

Veneer qualities and matches

Quality:	A/B quality, first quality or pattern matching / 5-star quality.
Grades:	Straight-grained, half-crown cut or crown cut.
Matching:	Book matched, slip matched, random matched and many other matching techniques.
Joining technology:	Zigzag glue thread splicing, glue splicing or paper backing are possible.





Edges

- Applied after veneering or glued
- Veneer edge
- Thick edge
- Solid edge up to 16 mm
- Max. panel thickness: 60 mm
- Wide range of edge processes
- Optional varnished edges

Acoustic perforations

We drill and slot with a grid of 08/16/32 mm, for example, and with different hole diameters. On request, the board rear side can be covered with acoustic fleece.

Pocket holes, T-holes and holes for hinges, hooks or fittings can be drilled according to your specification. We will be happy to advise you!

Specialities

Milling and slots are optionally possible as well as various CNC machining processes. Our special veneer patterns – such as “fishbone” - “diagonal” and “MOSAİKA®” or “tongue and groove” are other attractive alternatives.

We look forward to receiving your enquiry!

The surface

We supply your panels either sanded or unsanded, as requested. We also apply primer and UV varnish to the panel surface for you up to a maximum board width of 1600 mm. If you wish, the surface can be brushed up to a maximum width of 2100 mm.

Also new is our “ROUGH FIBRE” surface. Here the surface is blasted with microparticles.

> Quality definitions

Qualities



A/B quality

Good standard quality for a wide range of applications.



First Quality


High face quality where between 2 and 6 boards match, depending on the wood species.



Pattern matching "5-star"


Up to 20 boards match, depending on the wood species. The high-quality veneers usually have a patterned structure.

Veneer grades




Crown cut

All veneers are crown grade. Either natural or spliced crown cuts are possible.



Half-crown cut


Usually a spliced crown cut, obtained by splicing almost straight-grained veneers.



Straight-grained / rift cut


All veneers are straight-grained or rift grade.

Veneer matching




Book matched

Our veneers are normally "book matched", in other words there is a "right" side and a "left" side which alternates to create a symmetrical pattern.



Slip matched

When veneers are "slip matched", the same veneer side is always "on top", creating a uniform pattern that is pleasing to the eye when the panels are stained. Rift veneers or veneers with an attractive, natural crown cut are suitable for slip matching.



Random matched

Veneers from at least 8-10 different packs are matched in a random sequence. This produces a wood plank effect similar to that of glued solid wood. Some wood species are additionally treated with sap to emphasize the natural look.

All the grades and matching sequences described here can be applied to one or both sides of the panels. The "back" is available in "B", "C", "blind balancer" and paper qualities. Our veneers are always edge-glued. That gives them a seamless surface without joints.

Thanks to our precise definition of quality, even the most ambitious projects are not a problem. We at **europlac** have the right material for every application, no matter how complex your requirements may be!



Lifestyle in wood.



europac is PEFC and FSC-certified, and as an environmentally aware company supports the sustainable, caring and responsible management of forests all over the world.

> euoplac – The strong brand for boards with genuine wood veneers



We produce the best materials for trade and industry.

We founded **euoplac** in 1994 with the takeover of a furniture production company.

Today we have some 150 qualified employees.

Thanks to ongoing modernisation of our machine park and the many years of experience of the founder family, Röhr, we guarantee our customers the best quality and absolute reliability in every order.

Get to know us. We're looking forward to impressing you!

References that speak for themselves:

Public sector:

Congress Centre Augsburg
Ohnsorg Theatre Hamburg
Bavaria State Opera House
Campus Heilbronn
Campus Westend
University of Bayreuth
Music University of Vienna
LKH-University Clinic Graz
Gynaecology and Dermatology Clinic Heidelberg
"Innerfavoriten" Nursing Home Vienna
Federal Ministry for Labour
and Social Affairs – Bonn
Bavarian Parliament
Ministry Stuttgart
Augsburg Culture and Congress Hall
Volksschule Lenting
Auditorium University of Regensburg
Rosenheim Special School Auditorium
LMU Munich
Institut für Hörgeschädigte Straubing
Frasdorf Town Hall
Bregenz National Museum
Darmstadt Technical University
New Würth offices in Rorschach

Industry:

Ehring kindergarten furniture
E.ON Salzgitter
SieMatic Küchen
Bulthaupt Küchen
ADAC Headquarters Munich
Mc Donald's
UBS Bank
"Sapporobogen" business park, Munich

Shopfitting:

VOLVO trade fair stand
HUGO BOSS Shops
Villeroy & Boch | H&M | LEVIS | ESPRIT | MARKS & SPENCER

Hotels, gastronomy and wellness centres:

Hotel DOLCE Munich
Marriot Hotel Zurich
Hotel Waldorf Astoria "Zoofenster" Berlin
Hyatt Regency Hotel Düsseldorf
Hilton Hotel
Hotel Ambassador
Württemberg Haus "Cannstatter Wasen"





europac is PEFC and FSC-certified, and as an environmentally aware company supports the sustainable, caring and responsible management of forests all over the world.



> RUSTICA

Rustic wood types and surfaces with a haptic feel are the current trend.

europac offers board materials with rough cut and brushed surfaces, sapwood and heartwood types, as well as knotty woods - on a variety of different base boards.

For more information on the RUSTICA series, please request our brochure!



> INDEWO® RUSTICA

The INDEWO® RUSTICA is a real wood veneered board, printed with a special digital printing technology.

The warmth and haptic feel of wood is evident. The look - as nature rarely offers it - perfected with INDEWO®.

For more information on INDEWO® RUSTICA series, please request our brochure!

creative with quality

> Our projects are more than just wood. They are alive.

europac is PEFC and FSC-certified, and as an environmentally aware company supports the sustainable, caring and responsible management of forests all over the world.



> The latest news and information always at:



<http://www.twitter.com>



<http://www.facebook.com>



<http://www.youtube.com>

Your **europac**® approved dealer:



Errors and technical modifications reserved;
colour deviations are due to the printing method.



Sales and advice:

||| Röhr GmbH

Wilhelmstraße 1
D-88069 Tettngang

Tel.: +49 (0) 75 42 - 93 66 0
Fax: +49 (0) 75 42 - 93 66-60
E-mail: info@europac.com
Internet: www.europac.com

REVISION DATE: MARCH 2015